

Change/Errata Information

Issue No: 01 Date: 02-2020 Errata items: Eight (8) total

This change/errata contains information necessary to ensure the accuracy of the following manual. Note the corrections for the manual as listed below.

MANUAL

Title: **AES 7177 Hybrid RF Subscriber Installation, Operation and Programming Manual**

AES P/N: **40-7177**

Rev and Date: **Rev. 1 9/18/2018**

ERRATA #1

On Page 28 –

Change from: **Primary Receiver IP/Domain:** Enter the Primary Receiver IP address or Domain Name

to: **Primary Receiver IP:** Enter the Primary Receiver IP address.

ERRATA #2

On Page 28 –

Change from: **Secondary Receiver IP/Domain:** Enter the Secondary Receiver IP address or Domain Name.

to: **Secondary Receiver IP:** Enter the Secondary Receiver IP address.

ERRATA #3

On Page 28 –

Change from: **Receiver 3 IP/Domain** Enter Receiver 3 IP address or Domain Name
to: **Receiver 3 IP:** Enter Receiver 3 IP address.

ERRATA #4

On Page 28 –

Change from: **Receiver 4 IP/Domain** Enter Receiver 4 IP address or Domain Name
to: **Receiver 4 IP:** Enter Receiver 4 IP address.

ERRATA #5

On Page 28 –

Change from: **Receiver 5 IP/Domain** Enter Receiver 5 IP address or Domain Name
to: **Receiver 5 IP:** Enter Receiver 5 IP address.

ERRATA #6

On Page 28 –

Change from: **Receiver 6 IP/Domain** Enter Receiver 6 IP address or Domain Name
to: **Receiver 6 IP:** Enter Receiver 6 IP address.

ERRATA #7

On Page 28 –

Change from: **Receiver 7 IP/Domain** Enter Receiver 7 IP address or Domain Name
to: : **Receiver 7 IP:** Enter Receiver 7 IP address.

ERRATA #8

On Page 28 –

Change from: **Receiver 8 IP/Domain** Enter Receiver 8 IP address or Domain Name

to: : **Receiver 8 IP:** Enter Receiver 8 IP address.